









## WINDERS

- STANDARD 110 g/m<sup>2</sup> polyester material, tunnel sewn of black elastic band
- PREMIUM made entirely of 110 g/m<sup>2</sup> polyester material, including tunnel
- TWO-SIDED made of two layers of 110 g/m² polyester fabric and see-through blocking interleaf allowing to expose different artwork on each side of the winder
- typically, made in three shapes (TYPE 1, 2, 3) and four sizes
- material with non-flammability certificate
- artwork very well visible on reverse side
   one-sided winders
- printing with the use of direct dye-sublimation technology
- tunnel reinforces at both winder ends
- mast of glass fibre and aluminium
- available also in other shapes (as per the customer's blanking tool)




STANDARD

**PREMIUM** 

TWO-SIDED







Artwork very well visible on reverse side – PREMIUM, STANDARD winders



Reinforced tunnel with loop to make installation easier



Rubber band tunnel – STANDARD winder



Printed tunnel – PREMIUM



Edges trimmed with double





#### **SPECIFICATION**

TYPE 1			TYPE 2			TYPE 3						
Size	Winder height [cm]	Mast height [cm]	Visible artwork size [cm]	Weight [kg]	Winder height [cm]	Mast height [cm]	Visible artwork size [cm]	Weight [kg]	Winder height [cm]	Mast height [cm]	Visible artwork size [cm]	Weight [kg]
S	240	290	56 x 194	0,7	247	290	61 x 206	0,7	228	290	76 x 173	0,7
М	312	350	66 x 266	1,0	312	350	66 x 266	1,0	275	350	102 x 233	1,0
L	395	445	84 x 343	1,3	397	445	84 x 346	1,3	320	445	134 x 317	1,3
XL	505	550	91 x 383	1,8	500	550	91 x 398	1,8	440	550	164 x 386	1,8
S	245	290	56 x 194	0,7	250	290	61 x 206	0,7	225	290	76 x 173	0,7
М	314	350	66 x 266	1,0	314	350	66 x 266	1,0	274	350	102 x 233	1,0
L	396	445	84 x 343	1,3	395	445	84 x 346	1,3	336	445	134 x 317	1,3
XL	510	550	91 x 383	1,8	502	550	91 x 398	1,8	443	550	164 x 386	1,8
S	245	290	56 x 194	1,0	250	290	61 x 206	1,0	225	290	76 x 173	1,0
М	314	350	66 x 266	1,3	314	350	66 x 266	1,3	274	350	102 x 233	1,3
 L	396	445	84 x 343	1,6	395	445	84 x 346	1,6	336	445	134 x 317	1,6
XL	510	550	91 x 383	2,1	502	550	91 x 398	2,1	443	550	164 x 386	2,1





#### **MASTS**

Made of glass fibre and aluminium



#### **FLAT BASE**

Flat base with rotator, also for outdoor use where additional load in the form of soft water-filled base is recommended; for sizes: S, M, L, XL BASE: 40 x 40 x 0,42 cm; weight: 5,7 kg

BASE: 40 x 40 x 0,8 cm; weight: 10 kg



#### **DRIVE-IN BASE**

Drive-in base used for hard substrates such as tamped down soil, 60 cm; for sizes: S, M, L, XL, weight: 1,7 kg



#### **SOFT WATER-FILLED BASE**

Soft base filled with water up to 10 L, to provide additional load weight for flat and cruciform bases of size: S, M, L, XL; weight: 0,15 kg



#### **SCREW-IN BASE**

A base to be screwed into loose substrates such as sand or snow (total length 50 cm, screw length 24 cm); for sizes: S, M, L, XL; weight: 0,8 kg



#### **BAG FOR FLAT BASE**

Bag for flat base to make transport easier; dimensions: 40 x 40 cm; weight: 0,2 kg



#### **SMALL CRUCIFORM BASE**

Lightweight cruciform base 70 cm, powder-painted, used for compact substrates; for size: S, weight: 1,8 kg



#### **BAG FOR M WINDERS**

A convenient bag for safe transport of masts together with flags and cruciform, drive-in, and screw-in bases; dimensions: 93 x 23 x 3 cm; weight: 0,8 kg



#### LARGE CRUCIFORM BASE

Large cruciform base with rotator 90 cm, the cross powder-painted black, also for outdoor use where additional load in the form of soft water-filled base is recommended; for sizes: S, M, L, XL; weight: 7 kg



#### BAG FOR S, L, XL WINDERS

A convenient bag for safe transport of masts together with flags and cruciform, drive-in, and screw-in bases; dimensions: 122 x 23 x 3 cm; weight: 0,9 kg

# ADVERTISING FLAGS

- SINGLE-SIDED FLAGS artwork very well visible on reverse side
- TWO-SIDED FLAGS (different artwork on each side)
- flags of virtually any dimensions can be fabricated
- printed on polyester material with basis weight of 110 g/m²
- printing with the use of direct dye-sublimation technology
- edge finish adapted to mast type
  - with or without arm


#### **G** STANDARD FINISH

- top: tunnel for masts with arm or double-stitch trim for masts without arm
- bottom and right side: double-stitch trim
- left side: flag band + carabiners
- other finishing methods are available as per customer's order





Tunnel Edge finished



Edge finished I with double-stitch trim



Edge with carabiners reinforced by flag band



OPTION: OTHER FINISHING METHODS



**PVC** carabiners

### (E)

#### POP-UP BANNERS

- available in three sizes
- printout on knitted polyester material trimmed with band and pulled over the metal structure
- two-sided advertising systems
- for indoor and outdoor exposition
- bag (included) to facilitate transport
- easy to install unfolds immediately when taken out from bag; all one needs to do is connect the two sides with Velcro strap and fix to substrate with pins

#### **SPECIFICATION**

Туре	System dimensions W x H [cm]	Dimension packed [cm]	Weight [kg]
S	140 x 70	Ø 65	2,7
М	200 x 90	Ø 85	3,7
L	250 x 100	Ø 100	4,7





#### **PRINTS FOR COFFER FRAMES**

#### **DECORS**

- polyester material with basis weight of 210 or 220 g/m<sup>2</sup> and limited translucency
- printouts of virtually any length and maximum width of 310 cm can be made
- printing with the use of direct dye-sublimation technology
- printout trimmed with PVC Keder 14 x 3 mm (or other as per order)
- intended for one-sided coffer frames
- decors adapted to coffer frames of various structures


#### **BLOCKOUT**

- maximum width of artwork in single gore: 300 cm
- material: polyester with non-flammability certificate
- black-coloured reverse side of the material to block light
- printing with the use of direct dye-sublimation technology
- printout trimmed with PVC Keder 14 x 3 mm (or other as per order)
- intended for one- and two-sided coffer frames
- used frequently as a trade fair stand component

#### **BACKLIGHTS**

- backlighting-dedicated fabric with basis weight of 310 g/m<sup>2</sup>
- printing with the use of direct dye-sublimation technology
- printout trimmed with PVC Keder 14 x 3 mm (or other as per order)





PVC Keder to facilitate installation



A sewn-in loop facilitates artwork replacement



Packed printout saves space





## **COFFER FRAMES**

- made of 125 mm aluminium section
- one- or two-sided
- self-standing (with stabilising feet) and suspended
- with (LED lamps) and without backlighting

#### **!** SELECTED PROPERTIES OF COFFER FRAMES



125 mm aluminium section



Stabilising feet



LED lighting

## STRAIGHT TEXTILE WALL

- available in two sizes
- printout on textile material with basis weight of 175 g/m<sup>2</sup> with the use of direct dye-sublimation technology
- elastic material thanks to which the artwork perfectly follows the wall shape
- frame structure made of aluminium tubes with diameter 30 mm
- two-sided artwork as an option
- printout easy to install on frame structure by pulling the fabric over and zipping up
- quick "click" frame assembling system
- two metal feet provided to stabilise the structure
- bag included

#### **SPECIFICATION**

Туре	System dimensions W x H x D [cm]	Artwork dimen- sions W x H [cm]	Weight [kg]	
Straight 3 x 3	250 x 230 x 3/40*	241 x 216	11	
Straight 3 x 4	300 x 230 x 3/40*	290 x 216	12	

<sup>\* 40</sup> cm - foot length





Metal feet provided to stabilise the structure



Zip fastener to facilitate printout installation



Frame assembled by means of "click" system



TEXTILES

OUTDOOR INDOOR

STUDIOKOLOT
LARGE FORMAT PRINTING COMPANY

### **ARCHED TEXTILE WALL**

- available in two sizes
- printout on textile material with basis weight of 175 g/m<sup>2</sup> with the use of direct dye-sublimation technology
- elastic material thanks to which the artwork perfectly follows the wall shape
- one- or two-sided printing
- printout easy to install on frame structure by pulling the fabric over and zipping up
- quick "click" frame assembling system
- aluminium structure
- bag included



Туре	System dimensions W x H x D [cm]	Artwork dimensions W x H [cm]	Weight [kg]
Arched 3 x 3	250 x 230 x 35	248 x 223	9
Arched 3 x 4	305 x 230 x 35	308 x 220	10





Wall depth – 35 cm

## **TEXTILE WALL TYPE C**

- available in size 300 x 230 x 50 cm
- polyester material with basis weight of 175 g/m<sup>2</sup>
- direct dye-sublimation printing technology
- two-sided printing possible
- elastic material thanks to which the artwork perfectly follows the wall shape
- printout easy to install on frame structure by pulling the fabric over and zipping up
- lightweight yet very robust structure
- easy-to-assemble frame "click" system
- eye-catching shape
- two metal feet provided to stabilise the structure
- bag included

#### **SPECIFICATION**

Туре	System dimensions W x H x D [cm]	Artwork dimensions W x H [cm]	Weight [kg]
Type C	300 x 230 x 50	288 x 230	15





Metal feet provided to stabilise the structure



Zip fastener to facilitate printout installation



Frame assembled with the use of "click" system



studiokolor

TEXTILES



BAG INCLUDED

## **HOP-UP WALL**

- available in three sizes
- elastic creaseproof material
- direct dye-sublimation printing technology
- artwork fixed to frame with Velcro fasteners
- relatively light frame structure of anodised aluminium
- structure foldable together with fabric
- wheeled textile transport bag included

#### **SPECIFICATION**

Туре	System dimensions W x H x D [cm]	Artwork dimensions W x H [cm]	Weight [kg]	
Straight Hop-up 3 x 2	152,5 x 226 x 29,5	222 x 226	11	
Straight Hop-up 3 x 3	226 x 226 x 29,5	296 x 226	14	
Straight Hop-up 3 x 4	299,5 x 226 x 29,5	369 x 226	16	



Fixed with Velcro fasteners





Frame foldable together with printout

## **•** TEXTILE BANNERS


- available in virtually any size and dimensions
- printouts on polyester material of flag or banner type
- printed with the use of direct dye-sublimation technology
- various finish options available:
  - cut to format
  - edges reinforced with polyester band + eyelets
  - tunnel
  - trimmed edge
  - trim + string and loops in corners
- depending on finish type, banners may be used in different applications, e.g. as a pitch-board flag
- used typically in settings of mass events



THE OFFER DOES NOT INCLUDE FRAMING

#### FINISH OPTIONS







Tunnel



Cut to format

# NON WOVEN FABRIC BANNERS

- heights: 76 cm, 90 cm, 100 cm
- non woven fabric 130 g/m²
- lightweight reinforced fabric
- direct dye-sublimation printing technology
- cutting to format and eyelets each 50 cm in standard
- very lightweight many meters long printed rolls can be made to order
- to be used e.g. as an excellent element of mass event settings / advertising pitch sideboards



#### **MERITS**



Lightweight reinforced fabric



Cutting to format and providing eyelets in standard



## BARRIER COVERS

- dimensions adapted to barrier dimensions
- printed on fabrics with basis weight of 210 or 220 g/m<sup>2</sup>
- printing with the use of direct dye-sublimation technology
- easy to install fixed with Velcro straps
- two different artworks printed on both sides as an option
- to be used during mass events

## PALLET COVERS

- dimensions adapted to EUR-pallet size (120 x 80 cm), height corresponding to the height of 1 to 5 pallets
- printed on polyester fabrics
- printing with the use of direct dye-sublimation technology
- very lightweight, easy to install
- a simple way to obtain additional space for advertising material or exposition of goods





Velcro straps make installing fast and easy



Lower edge reinforced with double seam



## COVERS FOR ANTI-THEFT **GATES**

- printout on decor-type polyester material
- easy to install
- resistant to mechanical damage
- dimensions and shapes as per individual customer's order
- very effective form of advertising
  - directly at shop entrance




## INDOOR **BANNERS**


- available in different sizes
- rolled up, lightweight, easy to transport
- high-quality printouts on a wide range of materials
- typical finishing methods:
  - top, bottom: tunnels + two round stiffening battens
  - string to suspend the banner
  - sides: double stitching
- the battens eliminate flapping in moderate puffs of wind indoors















Banner bottom



- it is possible to fabricate very large printed arrangements by means of joining many gores, e.g. stage and trade fair decors, sports stadium flags, theatrical and television sets, and artwork arrangements for mass events
- printed with the use of direct sublimation or UV process (single gore width of up to 3.2 m and 5 m, respectively)
- printing on many different materials is possible
- finishing method as per customer's individual order







## **BANER FRONTLIT**


- available in any size and different finish options
- maximum width of artwork in single gore 500 cm
- weldable material allows to produce large-area advertising surfaces
- available with basis weight of 450 g/m² and 510 g/m²
- allows to obtain high-quality UV printouts
- dedicated for short- and medium-lived applications
- typical finishing methods:
  - cut to format
  - welded on perimeter + eyelets spaced 50 cm apart
  - welded tunnel
  - sewn-on Keder with round core
  - with sewn-in Velcro straps
- other finish options available as per customer's order













OTHER FINISHING

Weld + eyelets

Keder with round core

Sewn-in Velcro straps

Welded tunnel

## BACKLIGHT BANNER


- a coated matt-finished material characterised with excellent light diffusion and transmission properties
- two-sided UV printing process (with vertical mirror image on reverse side)
- maximum width of artwork in single gore 495 cm
- the printout looks the same during the daytime (without backlighting) as at night-time ("day/night" feature)
- material very resistant to tear and wear, moisture,
   UV radiation, and both low and high temperatures
- intended mainly for framing
- typical finishing methods:
  - cut to format
  - welded tunnel
  - sewn-on Keder with round core



FOR BACKLIT ADS

#### TYPICAL FINISHING OPTIONS







Cut to format

Keder with round core

Welded tunnel

## BLOCKOUT BANNER

- available in different sizes and finish options
- weldable material allows to obtain large advertising surfaces; maximum width of artwork in single gore 320 cm
- a coated material with an interlayer preventing the artwork from being seen from reverse side
- thanks to inner separator, banners do not show through even on sunny days and are perfectly readable
- particularly suitable for two-sided printing
- allows to obtain high-quality printouts characterised with high resistance to tearing and fraying
- can be used both indoors and outdoors
- typical finishing methods:
  - cut to format
  - weld along perimeter + an eyelet each 50 cm
  - welded tunnel
  - sewn-on Keder with round core





**OF BANNER SIDES** 

#### TYPICAL FINISHING OPTIONS









Welded tunnel

Sewn-on Keder

Cut to format

Welded edge + eyelets

## MESH FABRIC

- available in any format
- the maximum gore width is 500 cm
- material: mesh-structured PVC fabric of durable fibres
- available in standard (280 g/m²) and premium (340 g/m<sup>2</sup>) versions
- much lighter than frontlit or backlit type textiles
- enables free flow-through of air and light
- perfect as a carrier for large ads installed on building façades
- typical finishing methods:
  - cut to format
  - weld on perimeter + eyelets spaced 50 cm apart
  - welded tunnel
  - sewn-on Keder with round core













Welded edge + eyelets

Welded tunnel

Keder with round core

## TEXTILES FOR BACKLIT APPLICATIONS

- available in different sizes
- maximum width of artwork in single gore 318 cm
- materials with basis weight of 195 g/m²
- UV printing process
- a guarantee of high-quality artwork printouts
- impermeable for air and water
- excellent light transmission and diffusion properties
- used mainly in backlit ad carriers of coffer frame or lightbox type
- can be used also for non-backlit ads
- used both indoors and outdoors
- easy-to-install materials
- finish: sewn-on 14 mm x 3 mm PVC Keder (or other as per order)





PVC Keder makes installation of the printout easy



A sewn-in loop facilitates makes replacement easier



Good light diffusion properties

# OUTDOOR INDOOR TEXTILES

STUDIOKOLOT

## TEXTILES FOR UV PRINTING

- available in different sizes
- materials: 100% polyester
- fire- and water-proof
- one-sided UV printing process
- light-diffusing inextensible materials
- used mainly for fair stands, also in blockout version



- cut to format
- welded tunnel
- sewn-on Keder



Cut to format



Sewn-on PVC Keder



Welded tunnel



## ROLL-UP

- available in three sizes
- UV printing process on material with basis weight of 240 g/m²
- fast and easy to install
- aluminium structure
- bag included

#### **SPECIFICATION**

Туре	System dimensions W x H x D [cm]	Artwork dimensions W x H [cm]	Weight [kg]
80	81,5 x 208 x 32	80 x 200	2,3
85	86,5 x 208 x 32	85 x 200	2,4
100	101,5 x 208 x 32	100 x 200	2,5





Printout on polyester material



Mast stabiliser



Aluminium structure





- UV printout on a 440 g/m² PVC material with black interlayer
- artwork fixed with the use of simple eyelet system
- lightweight structure of glass fibre
- a structure of 4 crossing bars and a stabilising support
- lightweight and versatile portable ad system, fast and easy to install
- cover included

#### **SPECIFICATION**

Туре	System dimensions W x H x D [cm]	Artwork dimensions W x H [cm]	Weight [kg]
X-BANNER 80	85,5 x 195 x 95	80 x 180	1,4





Eyelets for quick assembly



**INCLUDED** 

STUDIOKOLOT LARGE FORMAT PRINTING COMPANY

# TWO-SIDED A-BOARD

- made of 3 mm thick HIPS boards
- UV printing process
- simple structure easy to assemble
- dimensions: 46 x 99 cm
- weight 3.5 kg




- printout size adapted to pallet dimension
- made of fluted propylene, foamed PVC, PALBOARD, or banner
- UV printing process
- simple, lightweight, four-element board or single-element banner structure
- fixed with the use of Velcro straps or Viking screws
- improves exposition of merchandise sold directly from pallets
- is an additional and inexpensive advertisement carrier










PVC boards, polypropylene sheet, PALBOARD



Polypropylene – fixed with Velcro straps



Bend and twisted PVC



Viking screws

## WALLPAPER

- many format available to order
- material: specifically coated Fleece with smooth structure and basis weight of 210 g/m<sup>2</sup>
- large artwork divided into gores with maximum gore width of 104 cm
- excellent product, used both as decorative and ad-carrying material
- high quality UV printing process vivid durable colours
- easy to put up with the use of wallpaper glue
- resistant to damage and soiling
- health-friendly
- standard finish: cut to format without laps



## PVC FLOORING

- material: polyester coated with foamed PVC, with thickness of 2.2 mm and basis weight of 1000 g/m²
- maximum width of artwork in single gore 313 cm
- UV printing process
- soft and soundproof flooring is perfect as an ad carrier or decorative element of interior
- anti-skid certified product
- resistant to stretching, tearing, and creasing









Delivered in rolls

Cut to shape as per order

2.2 mm thick flooring

# UV BACKLIT FILM

- material: specifically coated 180 micron thick polyester film
- available in three widths: 106.7 cm, 127 cm, and 152.4 cm
- UV printing process in double strike mode
- photo-quality printouts with extraordinary colour depth
- used mainly for indoor backlit ads
- finish:
  - cut to format

# SELF-ADHESIVE FILMS

- ads of virtually and dimensions and shapes can be made to order
- perfectly adapt to curved surfaces of different types
- UV printing process
- depending on film type, printouts are intended for short-, medium-, and long-living indoor and outdoor applications
- perfectly suitable for sticking on shop windows, trade fair stands, exposition walls and advertising boards, as well as vehicles



- cut to format
- cut to shape
- nicked to shape



## POSTERS

- matt material with basis weight of 150 g/m²
- available roll widths: 110 cm and 137 cm
- UV printing process
- depending on application, two printing modes are offered: standard and for backlit materials (double strike)
- posters of any height can be printed
- standard finish:
  - cut to format



## **PICTURES ON CANVAS**

- material: matte canvas with basis weight of 450 g/m²
- fraying-free material with natural canvas texture
- high-quality UV printing process
- printout stretched on wooden frame as a standard option
- makes possible to create a highly individualised interior by exposing one's own photos and graphic art or reproductions
- an original and unique gift idea
- standard finish options:
  - material cut to size
  - cut to size and stretched on wooden frame



## SHOULDER BAG

- made of two layers of Tyvek material
- very light, strong, and durable
- waterproof
- UV printing process
- recyclable
- dimensions 45 x 42.5 cm
- other materials and different sizes available (as per customer's order)



## FLOOR STICKERS

- available in any size
- material: laminated monomer self-adhesive film
- durable material resistant to mechanical damage and aggressive detergents
- UV printing process
- high quality printouts vivid colours
- for indoor and outdoor applications
- very good adhesion to smooth surfaces
- any shape can be cut to order
- printout edges protected with laminate



## **FOAMED PVC**

- available in different formats and thickness
- as a standard, we use 3 mm and 5 mm thick boards
- the maximum board size is 203 cm x 305 cm
- artworks exceeding the board format are divided into gores
- material: rigid polyvinyl chloride boards, white or coloured
- board surface is matt as a standard
- the material has a regular internal structure of closed cells and a smooth and hard surface
- UV printing process
- enables high degree of colour reproduction
- material resistant to water and chemical agents, flash-resistant, soundproof
- wide range of applications in large-format advertising



- cutting / milling to format or shape
- bending









Milled board

Thermally bent

Two-sided print

#### TRANSPARENT BOARDS

- available in different formats and thickness
- 2 mm thick boards in 205 cm x 305 cm format are a standard
- one of the materials most frequently used in advertising business
- resistant to harsh weather conditions and UV radiation
- characterised with good transparency and high rigidity
- UV printing process
- as an option, printing of mirror image on reverse side is possible in two or three layers with the use of white ink
- wide range of wide-format advertising applications





Milled board



Thermally bent board



Printed with the use of white ink



**BOARDS ARE** 

**CUT OR MILLED** 

## DIBOND COMPOSITE BOARDS

- standard formats: 305 x 150 cm, 405 x 150 cm, or 405 x 200 cm
- board thickness: 2 mm and 3 mm
- aluminium facing thickness: 0.2 mm or 0.3 mm
- material: rigid and aesthetic composite boards made of varnished aluminium layers bonded with low-density polyethylene (LD-PE) core
- UV printing process
- versatile material for various applications
- the most durable and weather-resistant flat material
- resistant to delamination
- depending on manufacturer, available in different shades of white and other colours



- milled to format or shape
- angled milling









Angled milling



Optional bending after angled milling

# FLUTED POLYPROPYLENE BOARDS

- available in sizes up to 300 cm x 200 cm
- boards with thickness of 3 mm and 5 mm are a standard
- lightweight material, an alternative to cardboard
- UV printing process
- easy to machine
- waterproof, resistant to mechanical damage
- resistant to variable weather conditions
- wide range of applications in large-format advertising
- eyelets (3 mm) as an option





Cutting to any shape



Creasing possible



Waterproof material



Eyelets as an option

LIGHTWEIGHT

YET RELATIVELY

DURABLE

MATERIAL



TO WEATHER
CONDITIONS

Studio Kolor is a company active in the printing and advertising business for more than 20 years. We specialise in visual communication, and especially in digital large-format printing techniques. Thanks to up-to date production line and well-developed bookbinding and sewing departments operated by competent and practised personnel, we are able to realise even the most complex orders. Our offer includes a very wide range of products, from small banners, meshes, and flags, to large-format arrangements with surface area up to 2500 m². With short lead times, high quality of products, and utmost significance we attach to customer service, we managed to win confidence among our Customers.

We are look forward to co-operate with you.







Studio Kolor Sp. z o.o.

Rudna Mała 47 36-060 Głogów Małopolski Poland phone +48 17 860 05 30



www.studiokolor.com.pl